




Representante de Variadores de Frecuencia Hyundai en Chile




EM-GW3-022 ONLINE SOFT STARTER 380V 22KW/45A

Cod; 20110767033



Power Kw ; 22 Power HP :30

Current ; 45 Amp.



>50mm >50mm >100mm	→ >10mm Air intake	
Diagram 3.1	Diagram 3.2	Diagram 3.3 W1 d(Mount screw)
	H1 —	<u> </u>

Model -	Power	Current	External Dimensions (mm)			Installation Dimensions (mm)			N.W
	(KW)	(A)	н	w	D	H1	W1	d	(Kg)
812/A522/A551016 8800	0000100011100010000	0.00100.0007/45.0100.00000	100 53 16 100 0	10012401001	100/4 (5/80)	1000098000	BURNALEN	E MOR	BBS68
EM-GW3-015	15	30	315	145	215	298	85	M6	<6
EM-GW3018	18.5		2 5	1245	215	799	25	M6	<6
EM-GW3-022	22	45	315	145	215	298	85	M6	<6
EM-GW3-030	30	60	315	145	215	298	85	M6	≤6
EM-GW3-037	37	75	315	145	215	298	85	Мб	<6
EM-GW3-045	45	90	315	145	215	298	85	M6	<6

CONTROLES LTDA. WWW.CONTROLS.CL